

## PLASTICS

# KePlast i1100

Top performance for hydraulic injection molding machines



KePlast i1100 combines an outstanding and user-friendly operation with established keyboards and a top performance control for highest productivity – perfectly designed for hydraulic standard injection molding machines. The series' future-proof Linux-based software platform enables any Industry 4.0 (I4.0) requirements, communication protocol and interface standards, such as OPC UA & EUROMAP 77.

### The focus is on the user


The entire series offers an unique and open KePlast framework for the adaptation of control PLC as well as customizing of HMI user screens via a modern and user-friendly tool suite. The operation panels cover a wide range of 7" to 12" brilliant TFT displays and follows a clear and easy-to-use menu structure. A smooth workflow with intuitive operation and best usability for eco machines allow process values to be set extremely rapidly – with several features, such as the Quick Access & Info Panel.

### High performance control for hydraulic machines

With its powerful control CP 035, KePlast i1100 is optimized for both vertical and horizontal machines in combination with servo pumps or other peripheral devices that can be connected via high-speed EtherCAT. Due to the increased performance of the controller, maximum process accuracy can be achieved for perfect results.

### Control to the future with KePlast i1100

KEBA speaks the language of the plastics industry including the understanding of the markets, processes, technologies, and customer-specific requirements. In addition to a strong and reliable partnership, you can benefit from the KePlast system and its premium quality both on hardware and software level. The modular and scalable future-proof platform ensures the best performance for all machine requirements towards any digitalization trends. Comprehensive software & technology libraries guarantee fast, efficient, and simple application programming. KePlast Smart Industry offers a broad I4.0 portfolio incl. smart assistance systems, such as KePlast EasyNet MES which monitors the machine productivity.



## Top Performance Control – CP 035



### Fast cut-off reaction for best process quality

Due to a sophisticated solution on the hardware level, a fast cut-off reaction of 62.5µsec and a minimized jitter is guaranteed for an absolutely stable process. Various digital and analog inputs and outputs can be freely configured according to specific machine requirements. The implemented cut-off detection on the CP 035 controller – in combination with an immediate output reaction – is the optimized solution for perfectly molded parts.

Control	KePlast i1170	KePlast i1175	KePlast i1180
<b>CPU</b>	CP 035: High-speed Intel x86, 1x 1.46GHz		
<b>Memory</b>	1GB RAM, Micro SD card slot		
<b>Interfaces</b>	1x EtherCAT, 1x Ethernet, 2x USB, 1x CAN, 1x RS232/485		
<b>Graphic interface</b>	LVDS interface for OP 3x1 monitor panels		
<b>Onboard I/Os</b>	48 DI, 56 DO, 8 AI, 6 AO, 10 TI		

Operating panel	KeTop OP 331	KeTop OP 341	KeTop OP 351
<b>Display</b>	8.4" SVGA TFT	10.4" SVGA TFT	12.1" SVGA TFT
<b>Resolution [px]</b>	800 x 600 SVGA		
<b>Keys</b>	Micro switch keyboard		
<b>Operation</b>	Cursor navigation, numeric keypad		
<b>Machine operation</b>	31 keys / 10 leds	36 keys / 15 leds	36 keys / 15 leds
<b>Digital inputs</b>	16 digital inputs for external switches and push-buttons		

Software technology	
<b>Operating system</b>	Linux OS
<b>Cycle time &amp; features</b>	1ms cycle time, 62.5µsec fast cut-off reaction
<b>Visualization system</b>	KeView Basic
<b>Options</b>	Comprehensive KePlast app library